







RK3568, C -A55 2.0G
 1 OPS NP
 HDMI L DS
 1 I G E LAN
 1 M.2 S :1 M.2 K B 4G/5G
 1 SB2.0, 1 SB3.0
 4 COM RS232/485
 12 DC-I



P S	CP	R 3568,Q - C -A55 2.0G
	GP	ARM G52 2EE
	NP	1 OPS
	M	O LPDDR4/4 S 2GB/4GB O
E	I	1 M.2 (KE B 3042/3052) 4G 5G M 1 M S S 1 F S
G	G P	M -G52
	I	HDMI2.0 M 4096 2160@60H L DS M 1920 1080@60H
S	S D	O 16GB EMMC S 8GB/32GB/64GB O
GNSS	GNSS	N -
A	A C	RK809
	I E ² (S	1 3.5 A J (2 1)
N		1 R LAN
	IFI	O 2.4G/5G IFI/B M
I/O	LED	1 P LED
	SB	1 SB2.0 PE-A 1 SB3.0 PE-A
	S	4 COM RS232/RS485 O
	O	1 L DS BK
P	P I	12 DC-I
	P I	2.5/5.5 DC J ^{(S}
O	² OS S	1 (S

G/5G



M	M	D	LAN	SB3	SB2	PE-C	A	M.2
E068-A	2GB	2	1	1	1	/	1	1
E068-B	4GB	2	1	1	1	/	1	1

I	D
A	1
A	4 A
M	1
-	N/A

4G	M.2 K B 3042 M
5G	M.2 K B 3052 M